

Top 10 Downloaded Articles in Computer Science & Information Technology: September 2026

**International Journal of Computer Science and
Information Technology (IJCSIT)**

INSPEC Indexed

ISSN: 0975-3826(online); 0975-4660 (Print)

<http://airccse.org/journal/ijcsit.html>

SECURITY THREATS ON CLOUD COMPUTING VULNERABILITIES

Te-Shun Chou

**Department of Technology Systems, East Carolina University, Greenville, NC,
U.S.A.**

ABSTRACT

Clouds provide a powerful computing platform that enables individuals and organizations to perform variety levels of tasks such as: use of online storage space, adoption of business applications, development of customized computer software, and creation of a “realistic” network environment. In previous years, the number of people using cloud services has dramatically increased and lots of data has been stored in cloud computing environments. In the meantime, data breaches to cloud services are also increasing every year due to hackers who are always trying to exploit the security vulnerabilities of the architecture of cloud. In this paper, three cloud service models were compared; cloud security risks and threats were investigated based on the nature of the cloud service models. Real world cloud attacks were included to demonstrate the techniques that hackers used against cloud computing systems. In addition, counter measures to cloud security breaches are presented.

KEYWORDS

Cloud computing, cloud security threats and countermeasures, cloud service models

For More Details : <http://airccse.org/journal/jcsit/5313ijcsit06.pdf>

Volume Link : http://airccse.org/journal/ijcsit2013_curr.html

REFERENCES

1. DataLossDB Open Security Foundation. <http://datalossdb.org/statistics>
2. Sophos Security Threat Report 2012. <http://www.sophos.com/>
3. Amazon.com Server Said to Have Been Used in Sony Attack, May 2011. <http://www.bloomberg.com/news/2011-05-13/sony-network-said-to-have-been-invaded-by-hackersusing-amazon-com-server.html>
4. D. Jamil and H. Zaki, “[Security Issues in Cloud Computing and Countermeasures](#),” International Journal of Engineering Science and Technology, Vol. 3 No. 4, pp. 2672- 2676, April 2011.
5. K. Zunnurhain and S. Vrbsky, “[Security Attacks and Solutions in Clouds](#),” 2nd IEEE International Conference on Cloud Computing Technology and Science, Indianapolis, December 2010.
6. W. A. Jansen, “Cloud Hooks: Security and Privacy Issues in Cloud Computing,” 44th Hawaii International Conference on System Sciences, pp. 1–10, Koloa, Hawaii, January 2011.
7. T. Roth, “[Breaking Encryptions Using GPU Accelerated Cloud Instances](#),” Black Hat Technical Security Conference, 2011.
8. CERT Coordination Center, Denial of Service. http://www.packetstormsecurity.org/distributed/denial_of_service.html
9. M. Jensen, J. Schwenk, N. Gruschka, and L. L. Iacono, “[On Technical Security Issues in Cloud Computing](#),” IEEE International Conference in Cloud Computing, pp. 109-116, Bangalore, 2009.
10. Thunder in the Cloud: \$6 Cloud-Based Denial-of-Service Attack, August 2010. http://blogs.computerworld.com/16708/thunder_in_the_cloud_6_cloud_based_denial_of_service_attack
11. DDoS Attack Rains Down on Amazon Cloud, October 2009. http://www.theregister.co.uk/2009/10/05/amazon_bitbucket_outage/
12. 2011 CyberSecurity Watch Survey, CERT Coordination Center at Carnegie Mellon University.
13. D. Catteddu and G. Hogben, “[Cloud Computing Benefits, Risks and Recommendations for Information Security](#),” The European Network and Information Security Agency (ENISA), November 2009.

14. Insider Threats Related to Cloud Computing, CERT, July 2012. <http://www.cert.org/>
15. Data Breach Trends & Stats, Symantec, 2012. <http://www.indefenseofdata.com/data-breach-trendsstats/>
16. 2012 Has Delivered Her First Giant Data Breach, January 2012. <http://www.infosecisland.com/blogview/19432-2012-Has-Delivered-Her-First-Giant-DataBreach.html>
17. A Few Wrinkles Are Etching Facebook, Other Social Sites, USA Today, 2011. http://www.usatoday.com/printedition/life/20090115/socialnetworking15_st.art.htm 1
18. An Update on LinkedIn Member Passwords Compromised, LinkedIn Blog, June, 2012. <http://blog.linkedin.com/2012/06/06/linkedin-member-passwords-compromised/>
19. Dropbox: Yes, We Were Hacked, August 2012. <http://gigaom.com/cloud/dropbox-yes-we-werehacked/>
20. Web Based Attacks, Symantec White Paper, February 2009.
21. Symantec Internet Security Threat Report, 2011 Trends, Vol. 17, April 2012.
22. P. P. Ramgonda and R. R. Mudholkar, "Cloud Market Cogitation and Techniques to Averting SQL Injection for University Cloud," International Journal of Computer Technology and Applications, Vol. 3, No. 3, pp. 1217-1224, January, 2012.
23. A. S. Choudhary and M. L. Dhore, "CIDT: Detection of Malicious Code Injection Attacks on Web Application," International Journal of Computer Applications, Vol. 52, No. 2, pp. 19-26, August 2012.
24. Web Application Attack Report For The Second Quarter of 2012. <http://www.fire>
25. Visitors to Sony PlayStation Website at Risk of Malware Infection, July 2008. <http://www.sophos.com/en-us/press-office/press-releases/2008/07/playstation.aspx>
26. N. Provos, M. A. Rajab, and P. Mavrommatis, "Cybercrime 2.0: When the Cloud Turns Dark," ACM Communications, Vol. 52, No. 4, pp. 42-47, 2009.
27. S. S. Rajan, Cloud Security Series | SQL Injection and SaaS, Cloud Computing Journal, November 2010.
28. Researchers Demo Cloud Security Issue With Amazon AWS Attack, October 2011. http://www.pcworld.idg.com.au/article/405419/researchers_demo_cloud_security_issue_amazon_aws_attack/
29. M. McIntosh and P. Austel, "XML Signature Element Wrapping Attacks and Countermeasures," 2005 workshop on Secure web services, ACM Press, New York, NY, pp. 20-27, 2005.
30. N. Gruschka and L. L. Iacono, "Vulnerable Cloud: SOAP Message Security Validation Revisited," IEEE International Conference on Web Services, Los Angeles, 2009.

31. A. Tripathi and A. Mishra, "Cloud Computing Security Considerations Interface," 2011 IEEE International Conference on Signal Processing, Communications and Computing, Xi'an, China, September 2011.
32. H. C. Li, P. H. Liang, J. M. Yang, and S. J. Chen, "Analysis on Cloud-Based Security Vulnerability Assessment," IEEE International Conference on E-Business Engineering, pp. 490-494, November 2010.
33. Amazon: Hey Spammers, Get Off My Cloud! http://voices.washingtonpost.com/securityfix/2008/07/amazon_hey_spammers_get_off_my.html
34. W. Jansen and T. Grance, "Guidelines on Security and Privacy in Public Cloud Computing," Computer Security Division, Information Technology Laboratory, National Institute of Standards and Technology, Special Publication 800-144, December 2011.
35. Tackling the Insider Threat <http://www.bankinfosecurity.com/blogs.php?postID=140>
36. "Cloud Security Risks and Solutions," White Paper, BalaBit IT Security, July 2010.
37. S. J. Stolfo, M. B. Salem, and A. D. Keromytis, "Fog computing: Mitigating Insider Data Theft Attacks in the Cloud," IEEE Symposium on Security and Privacy Workshops, pp. 125-128, San Francisco, CA, 2012.
38. M. Jensen, C. Meyer, J. Somorovsky, and J. Schwenk, "On the Effectiveness of XML Schema Validation for Countering XML Signature Wrapping Attacks," First International Workshop on Securing Services on the Cloud, Milan, Italy, September 2011.
39. S. Gajek, M. Jensen, L. Liao, and J. Schwenk, "Analysis of Signature Wrapping Attacks and Countermeasures," IEEE International Conference on Web Services, pp. 575-582, Miami, Florida, July 2009.

DATA WAREHOUSE AND BIG DATA INTEGRATION

Sonia Ordoñez Salinas and Alba Consuelo Nieto Lemus

Faculty of Engineering, Distrial F.J.C University, Bogotá, Colombia

ABSTRACT

Big Data triggered furthered an influx of research and prospective on concepts and processes pertaining previously to the Data Warehouse field. Some conclude that Data Warehouse as such will disappear; others present Big Data as the natural Data Warehouse evolution (perhaps without identifying a clear division between the two); and finally, some others pose a future of convergence, partially exploring the possible integration of both. In this paper, we revise the underlying technological features of Big Data and Data Warehouse, highlighting their differences and areas of convergence. Even when some differences exist, both technologies could (and should) be integrated because they both aim at the same purpose: data exploration and decision making support. We explore some convergence strategies, based on the common elements in both technologies. We present a revision of the state-of-the-art in integration proposals from the point of view of the purpose, methodology, architecture and underlying technology, highlighting the common elements that support both technologies that may serve as a starting point for full integration and we propose a proposal of integration between the two technologies.

KEYWORDS

Big Data, Data Warehouse, Integration, Hadoop, NoSql, MapReduce, 7V's, 3C's, M&G

For More Details : <https://aircconline.com/ijcsit/V9N2/9217ijcsit01.pdf>

Volume Link : http://airccse.org/journal/ijcsit2017_curr.html

REFERENCES

- [1] P. Bedi, V. Jindal, and A. Gautam, “Beginning with Big Data Simplified,” 2014.
- [2] R. Kimball, M. Ross, W. Thorthwaite, B. Becker, and M. J, The Data Warehouse Lifecycle Toolkit, 2nd Edition. 2008.
- [3] C. Todman, Designing A Data Warehouse: Supporting Customer Relationship Management. 2001.
- [4] W. H. Inmon, Building the Data Warehouse, 4th Edition. 2005. [5] “Oracle Database 12c for Data Warehousing and Big Data .” [Online]. Available: <http://www.oracle.com/technetwork/database/bi-datawarehousing/data-warehousing-wp-12c1896097.pdf>. [Accessed: 09-Sep-2015].
- [6] M. Cox and D. Ellsworth, “Application-Controlled Demand Paging for Out-of-Core Visualization,” 1997. [Online]. Available: <http://www.nas.nasa.gov/assets/pdf/techreports/1997/nas-97-010.pdf>. [Accessed: 09-Apr-2015].
- [7] S. Chaudhuri and U. Dayal, “An overview of data warehousing and OLAP technology,” ACM SIGMOD Rec., vol. 26, no. 1, pp. 65–74, 1997. [8] T. Maiorescu, “General Information on Business Intelligence,” pp. 294–297, 2010. [9] “Data Warehouses and OLAP: Concepts, Architectures and Solutions: 9781599043647: Library and Information Science Books | IGI Global.”.
- [10] Y. Demchenko, C. De Laat, and P. Membrey, “Defining Architecture Components of the Big Data Ecosystem,” Collab. Technol. Syst. (CTS), 2014 Int. Conf., pp. 104–112, 2014.
- [11] G. NBD-PWG, “ISO/IEC JTC 1 Study Group on Big Data,” 2013. [Online]. Available: <http://bigdatawg.nist.gov/cochairs.php>. [Accessed: 24-Oct-2015].
- [12] D. L. W.H. Inmon, Data Architecture: A Primer for the Data Scientist: Big Data, Data Warehouse and Data Vault. Amsterdam,Boston: Elsevier, 2014.
- [13] G. N. W.H. Inmon, Derek Strauss, DW 2.0: The Architecture for the Next Generation of Data Warehousing (Morgan Kaufman Series in Data Management Systems) (): : Books. Burlington, USA: Morgan Kaufmann Publishers Inc., 2008.
- [14] R. Kimball, “The Evolving Role of the Enterprise Data Warehouse in the Era of Big Data Analytics,” Kimball Gr., 2011.
- [15] M. Muntean and T. Surcel, “Agile BI - The Future of BI,” Inform. Econ., vol. 17, no. 3, pp. 114–124, 2013.
- [16] D. Agrawal, “The Reality of Real-Time Business Intelligence,” in Business Intelligence for the RealTime Enterprise, vol. 27 , M. Castellanos, U. Dayal, and T. Sellis, Eds. Springer Berlin Heidelberg , 2009, pp. 75–88.
- [17] R. Castillo, J. Morata, and L. del Arbol, “Operational Data Store (ODS) - 933.pdf,” Actas del III taller nacional de minería de datos y aprendizaje, pp. 359–365, 2005.
- [18] S. YiChuan and X. Yao, “Research of Real-time Data Warehouse Storage Strategy Based on Multilevel Caches,” Phys. Procedia, vol. 25, no. 0, pp. 2315–2321, 2012.
- [19] A. Ma. P. Díaz-zorita, “Evaluación de la herramienta de código libre Apache Hadoop,”

Universidad Carlos III de Madrid Escuela Politécnica Superior, 2011.

- [20] R. Kimball, “Newly Emerging Best Practices for Big Data,” Kimball Group, p. 14, 2012.
- [21] M. Maier, “Towards a Big Data Reference Architecture,” no. October, pp. 1–144, 2013.
- [22] O. Corporation, “ORACLE ENTERPRISE ARCHITECTURE WHITE PAPER. An Enterprise Architect’s Guide to Big Data,” no. February, 2015.
- [23] F. Kramer, H. Muller, and K. Turowski, “Acceleration of Single Inserts for Columnar Databases - An Experiment on Data Import Performance Using SAP HANA,” in Signal-Image Technology and Internet-Based Systems (SITIS), 2014 Tenth International Conference on, 2014, pp. 672–676.
- [24] M. R. Patil and F. Thia, Pentaho for Big Data Analytics, vol. 2013. PACKT PUBLISHING, 2013.
- [25] S. G. Manikandan and S. Ravi, “Big Data Analysis Using Apache Hadoop,” in IT Convergence and Security (ICITCS), 2014 International Conference on , 2014, pp. 1–4.
- [26] J. Nandimath, E. Banerjee, A. Patil, P. Kakade, and S. Vaidya, “Big data analysis using Apache Hadoop,” 2013 IEEE 14th Int. Conf. Inf. Reuse Integr., pp. 700–703, 2013.
- [27] A. Katal, M. Wazid, and R. H. Goudar, “Big data: Issues, challenges, tools and Good practices,” in Contemporary Computing (IC3), 2013 Sixth International Conference on , 2013, pp. 404–409.
- [28] A. Pal and S. Agrawal, “An Experimental Approach Towards Big Data for Analyzing Memory Utilization on a Hadoop cluster using HDFS and MapReduce .,” pp. 442–447, 2014.
- [29] R. Zhang, D. Hildebrand, and R. Tewari, “In unity there is strength: Showcasing a unified big data platform with MapReduce Over both object and file storage,” in Big Data (Big Data), 2014 IEEE International Conference on , 2014, pp. 960–966.
- [30] “Welcome to Apache™ Hadoop®!” [Online]. Available: <https://hadoop.apache.org/>. [Accessed: 26- Mar-2015].
- [31] “HDFS Architecture Guide.” [Online]. Available: http://hadoop.apache.org/docs/r1.2.1/hdfs_design.html. [Accessed: 26-Mar-2015].
- [32] S. Brin and L. Page, “The Anatomy of a Large-Scale Hypertextual Web Search Engine,” in Computer Networks and ISDN Systems, 1998, pp. 107–117. [
- [33] D. Garlasu, V. Sandulescu, I. Halcu, G. Neculoiu, O. Grigoriu, M. Marinescu, and V. Marinescu, “A big data implementation based on Grid computing,” in Roedunet International Conference (RoEduNet), 2013 11th, 2013, pp. 1–4.
- [34] A. Jorgensen, C. Price, B. Mitchell, and J. Rowlan, Microsoft Big Data Solutions. John Wiley & Sons, Inc., 2014.
- [35] R. T. Kaushik, M. Bhandarkar, and K. Nahrstedt, “Evaluation and Analysis of GreenHDFS: A SelfAdaptive, Energy-Conserving Variant of the Hadoop Distributed File System,” in Cloud Computing Technology and Science (CloudCom), 2010 IEEE Second International Conference on, 2010, pp. 274–287.
- [36] J. G. Shanahan and L. Dai, “Large Scale Distributed Data Science Using Apache Spark,” in Proceedings of the 21th ACM SIGKDD International Conference on Knowledge Discovery and

Data Mining, 2015, pp. 2323–2324.

- [37] R. S. Xin, J. Rosen, M. Zaharia, M. J. Franklin, S. Shenker, and I. Stoica, “Shark: SQL and Rich Analytics at Scale,” in Proceedings of the 2013 ACM SIGMOD International Conference on Management of Data, 2013, pp. 13–24.
- [38] J. Li, J. Wu, X. Yang, and S. Zhong, “Optimizing MapReduce Based on Locality of K-V Pairs and Overlap between Shuffle and Local Reduce,” in Parallel Processing (ICPP), 2015 44th International Conference on, 2015, pp. 939–948.
- [39] E. Brewer, “CAP Twelve Years Later: How the ‘Rules’ Have Changed,” InfoQ, 2012. [Online]. Available: <http://www.infoq.com/articles/cap-twelve-years-later-how-the-rules-have-changed>. [Accessed: 26-Mar-2015].
- [40] G. Vaish, Getting started with NoSQL. 2013.
- [41] V. N. Gudivada, D. Rao, and V. V. Raghavan, “NoSQL Systems for Big Data Management,” 2014 IEEE World Congr. Serv., pp. 190–197, 2014.
- [42] Cassandra, “The Apache Cassandra Project,” <http://cassandra.apache.org>, 2010. [Online]. Available: <http://cassandra.apache.org/>.
- [43] D. Borthakur, “Petabyte Scale Databases and Storage Systems at Facebook,” in Proceedings of the 2013 ACM SIGMOD International Conference on Management of Data, 2013, pp. 1267–1268.
- [44] J. Huang, X. Ouyang, J. Jose, M. Wasi-ur-Rahman, H. Wang, M. Luo, H. Subramoni, C. Murthy, and D. K. Panda, “High-Performance Design of HBase with RDMA over InfiniBand,” in Parallel
- [45] G. Weintraub, “Dynamo and BigTable - Review and comparison,” Electr. Electron. Eng. Isr. (IEEEI), 2014 IEEE 28th Conv., pp. 1–5, 2
- [46] D. Pereira, P. Oliveira, and F. Rodrigues, “Data warehouses in MongoDB vs SQL Server: A comparative analysis of the query performance,” in Information Systems and Technologies (CISTI), 2015 10th Iberian Conference on, 2015, pp. 1–7.
- [47] K. Dehdouh, F. Bentayeb, O. Boussaid, and N. Kabachi, “Columnar NoSQL CUBE: Aggregation operator for columnar NoSQL data warehouse,” in Systems, Man and Cybernetics (SMC), 2014 IEEE International Conference on, 2014, pp. 3828–3833.
- [48] Y. Liu and T. M. Vitolo, “Graph Data Warehouse: Steps to Integrating Graph Databases Into the Traditional Conceptual Structure of a Data Warehouse,” in Big Data (BigData Congress), 2013 IEEE International Congress on, 2013, pp. 433–434.
- [49] M. Chevalier, M. El Malki, A. Kopliku, O. Teste, and R. Tournier, “Benchmark for OLAP on NoSQL technologies comparing NoSQL multidimensional data warehousing solutions,” in Research Challenges in Information Science (RCIS), 2015 IEEE 9th International Conference on, 2015, pp. 480–485.
- [50] F. Färber, S. K. Cha, J. Primsch, C. Bornhövd, S. Sigg, and W. Lehner, “SAP HANA Database: Data Management for Modern Business Applications,” SIGMOD Rec., vol. 40, no. 4, pp. 45–51, 2012.
- [51] K. M. A. Hasan, M. T. Omar, S. M. M. Ahsan, and N. Nahar, “Chunking implementation of extendible array to handle address space overflow for large multidimensional data sets,” in

Electrical Information and Communication Technology (EICT), 2013 International Conference on, 2014, pp. 1–6.

- [52] S. Müller and H. Plattner, “An In-depth Analysis of Data Aggregation Cost Factors in a Columnar Inmemory Database,” in *Proceedings of the Fifteenth International Workshop on Data Warehousing and OLAP*, 2012, pp. 65–72.
- [53] H. Plattner, “A Common Database Approach for OLTP and OLAP Using an In-memory Column Database,” in *Proceedings of the 2009 ACM SIGMOD International Conference on Management of Data*, 2009, pp. 1–2.
- [54] J. Schaffner, A. Bog, J. Krüger, and A. Zeier, “A Hybrid Row-Column OLTP Database Architecture for Operational Reporting,” in *Business Intelligence for the Real-Time Enterprise SE - 5*, vol. 27, M. Castellanos, U. Dayal, and T. Sellis, Eds. Springer Berlin Heidelberg, 2009, pp. 61–74.
- [55] V. K. Vavilapalli, A. C. Murthy, C. Douglas, S. Agarwal, M. Konar, R. Evans, T. Graves, J. Lowe, H. Shah, S. Seth, B. Saha, C. Curino, O. O’Malley, S. Radia, B. Reed, and E. Baldeschwieler, “Apache Hadoop YARN: Yet Another Resource Negotiator,” in *Proceedings of the 4th Annual Symposium on Cloud Computing*, 2013, pp. 5:1–5:16.
- [56] “Apache Pig Philosophy.” [Online]. Available: <http://pig.apache.org/philosophy.html>. [Accessed: 26-Mar-2015].
- [57] “Architecture - Apache Drill.” [Online]. Available: <http://drill.apache.org/architecture/>. [Accessed: 26-Mar-2015].
- [58] “Storm, distributed and fault-tolerant realtime computation.” [Online]. Available: <https://storm.apache.org/>. [Accessed: 26-Mar-2015].
- [59] “Apache Hive TM.” [Online]. Available: <https://hive.apache.org/>. [Accessed: 26-Mar-2015]. [60] “Sqoop -.” [Online]. Available: <http://sqoop.apache.org/>. [Accessed: 26-Mar-2015].
- [61] “Impala.” [Online]. Available: <http://www.cloudera.com/content/cloudera/en/products-and-services/cdh/impala.html>. [Accessed: 26-Mar-2015].
- [62] “Apache Thrift - Home.” [Online]. Available: <https://thrift.apache.org/>. [Accessed: 26-Mar-2015].
- [63] “Apache ZooKeeper - Home.” [Online]. Available: <https://zookeeper.apache.org/>. [Accessed: 26-Mar-2015].
- [64] D. Borthakur, J. Gray, J. Sen Sarma, K. Muthukkaruppan, N. Spiegelberg, H. Kuang, K. Ranganathan, D. Molkov, A. Menon, S. Rash, R. Schmidt, and A. Aiyer, “Apache Hadoop Goes Realtime at Facebook,” in *Proceedings of the 2011 ACM SIGMOD International Conference on Management of Data*, 2011, pp. 1071–1080.
- [65] B. Ghit, A. Iosup, and D. Epema, “Towards an Optimized Big Data Processing System,” in *Cluster, Cloud and Grid Computing (CCGrid)*, 2013 13th IEEE/ACM International Symposium on, 2013, pp. 83–86.
- [66] P. Agarwal, G. Shroff, and P. Malhotra, “Approximate Incremental Big-Data Harmonization,” in *Big Data (BigData Congress)*, 2013 IEEE International Congress on, 2013, pp. 118–125.
- [67] Y. Elshater, P. Martin, D. Rope, M. McRoberts, and C. Statchuk, “A Study of Data Locality in YARN,” 2015 IEEE Int. Congr. Big Data, pp. 174–181, 2015.

- [68] A. H. B. James Manyika, Michael Chui, Brad Brown, Jacques Bughin, Richard Dobbs, Charles Roxburgh, "Big data: The next frontier for innovation, competition, and productivity," McKinsey Glob. Inst., no. June, p. 156, 2011.
- [69] J. S. Marron, "Big Data in context and robustness against heterogeneity," *Econom. Stat.*, vol. 2, pp. 73–80, 2017.
- [70] L. Kugler, "What Happens When Big Data Blunders?," *Commun. ACM*, vol. 59, no. 6, pp. 15–16, 2016.
- [71] S. Sagiroglu, R. Terzi, Y. Canbay, and I. Colak, "Big data issues in smart grid systems," in 2016 IEEE International Conference on Renewable Energy Research and Applications (ICRERA), 2016, pp. 1007–1012.
- [72] A. Gandomi and M. Haider, "Beyond the hype: Big data concepts, methods, and analytics," *Int. J. Inf. Manage.*, vol. 35, no. 2, pp. 137–144, 2015.
- [73] Jameela Al-Jaroodi, Brandon Hollein, Nader Mohamed, "Applying software engineering processes for big data analytics applications development", *Computing and Communication Workshop and Conference (CCWC) 2017 IEEE 7th Annual*, pp. 1-7, 2017

FUTURE AND CHALLENGES OF INTERNET OF THINGS

Falguni Jindal¹ , Rishabh Jamar² , Prathamesh Churi³

^{1,2}Bachelors of Technology in Computer Engineering SVKM's NMIMS Mukesh Patel School of Technology Management and Engineering, Mumbai, India

³Assistant Professor (Computer Engineering) SVKM's NMIMS Mukesh Patel School of Technology Management and Engineering, Mumbai, India.

ABSTRACT

The world is moving forward at a fast pace, and the credit goes to ever growing technology. One such concept is IOT (Internet of things) with which automation is no longer a virtual reality. IOT connects various non-living objects through the internet and enables them to share information with their community network to automate processes for humans and makes their lives easier. The paper presents the future challenges of IoT , such as the technical (connectivity , compatibility and longevity , standards , intelligent analysis and actions , security), business (investment , modest revenue model etc.), societal (changing demands , new devices, expense, customer confidence etc.) and legal challenges (laws, regulations, procedures, policies etc.). A section also discusses the various myths that might hamper the progress of IOT, security of data being the most critical factor of all. An optimistic approach to people in adopting the unfolding changes brought by IOT will also help in its growth

KEYWORDS

IoT, Internet of Things, Security, Sensors

For More Details : <https://aircconline.com/ijcsit/V10N2/10218ijcsit02.pdf>

Volume Link : http://airccse.org/journal/ijcsit2018_curr.html

REFERENCES

- [1] Gubbi, J., Buyya, R., Marusic, S., & Palaniswami, M. (2013). Internet of Things (IoT): A vision, architectural elements, and future directions. *Future generation computer systems*, 29(7), 1645-1660.
- [2] Li, S., Da Xu, L., & Zhao, S. (2015). The internet of things: a survey. *Information Systems Frontiers*, 17(2), 243-259.
- [3] Guo, B., Zhang, D., Wang, Z., Yu, Z., & Zhou, X. (2013). Opportunistic IoT: Exploring the harmonious interaction between human and the internet of things. *Journal of Network and Computer Applications*, 36(6), 1531-1539.
- [4] Banafa, A. (2014). IoT Standardization and Implementation Challenges. *IEEE. org Newsletter*.
- [5] Banafa, A. (2015). „What is next for IoT and IIoT”. *Enterprise Mobility Summit*.
- [6] Coetzee, L., & Eksteen, J. (2011, May). The Internet of Things-promise for the future? An introduction. In *IST-Africa Conference Proceedings*, 2011 (pp. 1-9). IEEE.
- [7] Cai, H., Da Xu, L., Xu, B., Xie, C., Qin, S., & Jiang, L. (2014). IoT-based configurable information service platform for product lifecycle management. *IEEE Transactions on Industrial Informatics*, 10(2), 1558-1567.
- [8] Khan, R., Khan, S. U., Zaheer, R., & Khan, S. (2012, December). Future internet: the internet of things architecture, possible applications and key challenges. In *Frontiers of Information Technology (FIT), 2012 10th International Conference on* (pp. 257-260). IEEE.
- [9] Liu, Y., & Zhou, G. (2012, January). Key technologies and applications of internet of things. In *Intelligent Computation Technology and Automation (ICICTA), 2012 Fifth International Conference on* (pp. 197-200). IEEE.
- [10] Sadeghi, A. R., Wachsmann, C., & Waidner, M. (2015, June). Security and privacy challenges in industrial internet of things. In *Proceedings of the 52nd annual design automation conference* (p. 54). ACM.
- [11] Banafa, A. (2014). IoT and Blockchain Convergence: Benefits and Challenges. *IEEE Internet of Things*.
- [12] Marjani, M., Nasaruddin, F., Gani, A., Karim, A., Hashem, I. A. T., Siddiqua, A., & Yaqoob, I. (2017). Big IoT data analytics: Architecture, opportunities, and open research challenges. *IEEE Access*, 5, 5247-5261.
- [13] Desai, P., Sheth, A., & Anantharam, P. (2015, June). Semantic gateway as a service architecture for iot interoperability. In *Mobile Services (MS), 2015 IEEE International Conference on*(pp. 313-319). IEEE.
- [14] Koivu, A., Koivunen, L., Hosseinzadeh, S., Laurén, S., Hyrynsalmi, S., Rauti, S., & Leppänen, V. (2016, December). Software Security Considerations for IoT. In *Internet of Things (iThings) and IEEE Green Computing and Communications (GreenCom) and IEEE Cyber, Physical and Social Computing (CPSCom) and IEEE Smart Data (SmartData), 2016 IEEE International Conference on* (pp. 392-397). IEEE.

- [15] Sundmaecker, H., Guillemin, P., Friess, P., & Woelfflé, S. (2010). Vision and challenges for realising the Internet of Things. Cluster of European Research Projects on the Internet of Things, European Commision, 3(3), 34-36.
- [16] Vermesan, O., Friess, P., Guillemin, P., Gusmeroli, S., Sundmaecker, H., Bassi, A., ... & Doody, P. (2011). Internet of things strategic research roadmap. Internet of Things-Global Technological and Societal Trends, 1(2011), 9-52.
- [17] Sheng, Z., Yang, S., Yu, Y., Vasilakos, A., Mccann, J., & Leung, K. (2013). A survey on the ietf protocol suite for the internet of things: Standards, challenges, and opportunities. IEEE Wireless Communications, 20(6), 91-98.
- [18] Theoleyre, F., & Pang, A. C. (Eds.). (2013). Internet of Things and M2M Communications. River Publishers.
- [19] Coetzee, L., & Eksteen, J. (2011, May). The Internet of Things-promise for the future? An introduction. In IST-Africa Conference Proceedings, 2011 (pp. 1-9). IEEE.
- [20] Ji, Z., & Anwen, Q. (2010, November). The application of internet of things (IOT) in emergency management system in China. In Technologies for Homeland Security (HST), 2010 IEEE International Conference on (pp. 139-142). IEEE.
- [21] James Kirkland , “Internet of Things: insights from Red Hat” , Website: <https://developers.redhat.com/blog/2015/03/31/internet-of-things-insights-from-red-hat/> , Accessed : 2nd February 2018

CLUSTERING ALGORITHM FOR A HEALTHCARE DATASET USING SILHOUETTE SCORE VALUE

Godwin Ogbuabor¹ and Ugwoke, F. N²

¹ **School of Computer Science, University of Lincoln, United Kingdom**

² **Department of Computer Science, Michael Okpara University of Agriculture Umudike, Abia State, Nigeria**

ABSTRACT

The huge amount of healthcare data, coupled with the need for data analysis tools has made data mining interesting research areas. Data mining tools and techniques help to discover and understand hidden patterns in a dataset which may not be possible by mainly visualization of the data. Selecting appropriate clustering method and optimal number of clusters in healthcare data can be confusing and difficult most times. Presently, a large number of clustering algorithms are available for clustering healthcare data, but it is very difficult for people with little knowledge of data mining to choose suitable clustering algorithms. This paper aims to analyze clustering techniques using healthcare dataset, in order to determine suitable algorithms which can bring the optimized group clusters. Performances of two clustering algorithms (Kmeans and DBSCAN) were compared using Silhouette score values. Firstly, we analyzed K-means algorithm using different number of clusters (K) and different distance metrics. Secondly, we analyzed DBSCAN algorithm using different minimum number of points required to form a cluster (minPts) and different distance metrics. The experimental result indicates that both K-means and DBSCAN algorithms have strong intra-cluster cohesion and inter-cluster separation. Based on the analysis, K-means algorithm performed better compare to DBSCAN algorithm in terms of clustering accuracy and execution time.

KEYWORDS

Dataset, Clustering, Healthcare data, Silhouette score value, K-means, DBSCAN

For More Details : <https://aircconline.com/ijcsit/V10N2/10218ijcsit03.pdf>

Volume Link : http://airccse.org/journal/ijcsit2018_curr.html

REFERENCES

- [1] Alsayat, A., & El-Sayed, H. (2016). Efficient genetic K-Means clustering for health care knowledge discovery. In Software Engineering Research, Management and Applications (SERA), 2016 IEEE 14th International Conference on (pp. 45-52). IEEE.
- [2] Balasubramanian, T., & Umarani, R. (2012, March). An analysis on the impact of fluoride in human health (dental) using clustering data mining technique. In Pattern Recognition, Informatics and Medical Engineering (PRIME), 2012 International Conference on (pp. 370-375). IEEE.
- [3] Banu G. Rasitha & Jamala J.H.Bousal (2015). Predicting Heart Attack using Fuzzy C Means Clustering Algorithm. International Journal of Latest Trends in Engineering and Technology (IJLTET).
- [4] Banu, M. N., & Gomathy, B. (2014). Disease forecasting system using data mining methods. In Intelligent Computing Applications (ICICA), 2014 International Conference on (pp. 130-133). IEEE.
- [5] Belciug, S. (2009). Patients length of stay grouping using the hierarchical clustering algorithm. Annals of the University of Craiova-Mathematics and Computer Science Series, 36(2), 79-84.
- [6] Belciug, S., Salem, A. B., Gorunescu, F., & Gorunescu, M. (2010, November). Clustering-based approach for detecting breast cancer recurrence. In Intelligent Systems Design and Applications (ISDA), 2010 10th International Conference on (pp. 533-538). IEEE.
- [7] Bruno, G., Cerquitelli, T., Chiusano, S., & Xiao, X. (2014). A clustering-based approach to analyse examinations for diabetic patients. In Healthcare Informatics (ICHI), 2014 IEEE International Conference on (pp. 45-50). IEEE.
- [8] DeFreitas, K., & Bernard, M. (2015). Comparative performance analysis of clustering techniques in educational data mining. IADIS International Journal on Computer Science & Information Systems, 10(2).
- [9] Escudero, J., Zajicek, J. P., & Ifeachor, E. (2011). Early detection and characterization of Alzheimer's disease in clinical scenarios using Bioprofile concepts and K-means. In Engineering in Medicine and Biology Society, EMBC, 2011 Annual International Conference of the IEEE (pp. 6470-6473). IEEE.
- [10] Han, J., Kamber, M., & Pei, J. (2012). Cluster Analysis-10: Basic Concepts and Methods.
- [11] Ibrahim, N. H., Mustapha, A., Rosli, R., & Helmee, N. H. (2013). A hybrid model of hierarchical clustering and decision tree for rule-based classification of diabetic patients. International Journal of Engineering and Technology (IJET), 5(5), 3986-91.
- [12] Jabel K. Merlin & Srividhya (2016). Performance analysis of clustering algorithms on heart dataset. International Journal of Modern Computer Science, 5(4), 113-117.
- [13] Kar Amit Kumar, Shailesh Kumar Patel & Rajkishor Yadav (2016). A Comparative Study & Performance Evaluation of Different Clustering Techniques in Data Mining. ACEIT Conference Proceeding.
- [14] Lv, Y., Ma, T., Tang, M., Cao, J., Tian, Y., Al-Dhelaan, A., & Al-Rodhaan, M. (2016). An efficient and scalable density-based clustering algorithm for datasets with complex structures. Neurocomputing, 171, 9-22.

- [15] Malli, S., Nagesh, H. R., & Joshi, H. G. (2014). A Study on Rural Health care Data sets using Clustering Algorithms. *International Journal of Engineering Research and Applications*, 3(8), 517- 520.
- [16] Maulik, U., & Bandyopadhyay, S. (2002). Performance evaluation of some clustering algorithms and validity indices. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 24(12), 1650-1654.
- [17] Na, S., Xumin, L., & Yong, G. (2010, April). Research on k-means clustering algorithm: An improved k-means clustering algorithm. In *Intelligent Information Technology and Security Informatics (IITSI), 2010 Third International Symposium on* (pp. 63-67). IEEE.
- [18] Paul, R., & Hoque, A. S. M. L. (2010, July). Clustering medical data to predict the likelihood of diseases. In *Digital Information Management (ICDIM), 2010 Fifth International Conference on* (pp. 44-49). IEEE.
- [19] Pham, D. T., Dimov, S. S., & Nguyen, C. D. (2005). Selection of K in K-means clustering. *Proceedings of the Institution of Mechanical Engineers, Part C: Journal of Mechanical Engineering Science*, 219(1), 103-119.
- [20] R.Nithya & P.Manikandan & D.Ramyachitra (2015); Analysis of clustering technique for the diabetes dataset using the training set parameter. *International Journal of Advanced Research in Computer and Communication Engineering* Vol. 4, Issue 9.
- [21] Sagar, H. K., & Sharma, V. (2014). Error Evaluation on K-Means and Hierarchical Clustering with Effect of Distance Functions for Iris Dataset. *International Journal of Computer Applications*, 86(16).
- [22] Shah, G. H., Bhensdadia, C. K., & Ganatra, A. P. (2012). An empirical evaluation of density-based clustering techniques. *International Journal of Soft Computing and Engineering (IJSCE)* ISSN, 22312307, 216-223.
- [23] Tan, P. N., Steinbach, M., & Kumar, V. (2013). *Data mining cluster analysis: basic concepts and algorithms. Introduction to data mining.*
- [24] Tomar, D., & Agarwal, S. (2013). A survey on Data Mining approaches for Healthcare. *International Journal of Bio-Science and Bio-Technology*, 5(5), 241-266.
- [25] Vijayarani, S., & Sudha, S. (2015). An efficient clustering algorithm for predicting diseases from hemogram blood test samples. *Indian Journal of Science and Technology*, 8(17).
- [26] Zheng, B., Yoon, S. W., & Lam, S. S. (2014). Breast cancer diagnosis based on feature extraction using a hybrid of K-means and support vector machine algorithms. *Expert Systems with Applications*, 41(4), 1476-1482.

DATA MINING MODEL PERFORMANCE OF SALES PREDICTIVE ALGORITHMS BASED ON RAPIDMINER WORKFLOWS

Alessandro Massaro, Vincenzo Maritati

**Angelo Galiano Dyrecta Lab, IT research
Laboratory, via Vescovo Simplicio, 45, 70014 Conversano (BA), Italy**

ABSTRACT

By applying RapidMiner workflows has been processed a dataset originated from different data files, and containing information about the sales over three years of a large chain of retail stores. Subsequently, has been constructed a Deep Learning model performing a predictive algorithm suitable for sales forecasting. This model is based on artificial neural network –ANN- algorithm able to learn the model starting from sales historical data and by pre-processing the data. The best built model uses a multilayer neural network together with an “optimized operator” able to find automatically the best parameter setting of the implemented algorithm. In order to prove the best performing predictive model, other machine learning algorithms have been tested. The performance comparison has been performed between Support Vector Machine –SVM-, k-Nearest Neighbor k-NN-, Gradient Boosted Trees, Decision Trees, and Deep Learning algorithms. The comparison of the degree of correlation between real and predicted values, the average absolute error and the relative average error proved that ANN exhibited the best performance. The Gradient Boosted Trees approach represents an alternative approach having the second best performance. The case of study has been developed within the framework of an industry project oriented on the integration of high performance data mining models able to predict sales using–ERP- and customer relationship management –CRM- tools.

KEYWORDS

RapidMiner, Neural Network, Deep Learning, Gradient Boosted Trees, Data Mining Performance, Sales Prediction.

For More Details : <http://aircconline.com/ijcsit/V10N3/10318ijcsit03.pdf>

Volume Link : http://airccse.org/journal/ijcsit2018_curr.html

REFERENCES

- [1] Penpece D., & Elma O. E. (2014) "Predicting Sales Revenue by Using Artificial Neural Network in Grocery Retailing Industry: A Case Study in Turkey", *International Journal of Trade Economics and Finance*, Vol. 5, No. 5, pp435-440.
- [2] Thiesing F. M., & Vornberger, O. (1997) "Sales Forecasting Using Neural Networks", *IEEE Proceedings ICNN'97*, Houston, Texas, 9-12 June 1997, pp2125-2128.
- [3] Zhang, G. P. (2003) "Time series forecasting using a hybrid ARIMA and neural network model", *Neurocomputing*, Vol. 50, pp159-175.
- [4] Sharma, A., & Panigrahi, P. K. (2011) "Neural Network based Approach for Predicting Customer Churn in Cellular Network Services", *International Journal of Computer Applications*, Vol. 27, No.11, pp0975-8887.
- [5] Kamakura, W., Mela, C. F., Ansari A., & al. (2005) "Choice Models and Customer Relationship Management," *Marketing Letters*, Vol. 16, No.3/4, pp279-291.
- [6] Smith, K. A., & Gupta, J. N. D. (2000) "Neural Networks in Business: Techniques and Applications for the Operations Researcher," *Computers & Operations Research*, Vol. 27, No. 11-12, pp1023- 1044.
- [7] Chattopadhyay, M., Dan, P. K., Majumdar, S., & Chakraborty, P. S. (2012) "Application of Artificial Neural Network in Market Segmentation: A Review on Recent Trends," *Management Science Letters*, Vol. 2, pp425-438.
- [8] Berry, J. A. M., & Linoff, G. S. (2004) "Data Mining Techniques For Marketing, Sales, and Customer Relationship Management", Wiley, Second Edition.
- [9] Buttle, F. (2009) "Customer Relationship Management Concepts and Technologies", Elsevier, Second Edition.
- [10] Thomassey, S. (2014) "Sales Forecasting in Apparel and Fashion Industry: A Review", Springer, chapter 2.
- [11] Massaro, A. Barbuzzi, D., Vitti, V., Galiano, A., Aruci, M., Pirlo, G. (2016) "Predictive Sales Analysis According to the Effect of Weather", *Proceeding of the 2nd International Conference on Recent Trends and Applications in Computer Science and Information Technology*, Tirana, Albania, November 18 - 19, pp53-55.
- [12] Parsons, A.G. (2001), "The Association between Daily Weather and Daily Shopping Patterns", *Australasian Marketing Journal*, Vol. 9, No. 2, pp78-84. [13] Steele, A.T., (1951) "Weather's Effect on the Sales of a Department Store", *Journal of Marketing* Vol. 15, No. 4, pp436-443.
- [14] Murray, K. B., Di Muro, F., Finn, A., & Leszczyc, P. P. (2010) "The Effect of Weather on Consumer Spending", *Journal of Retailing and Consumer Services*, Vol. 17, No.6, pp512-520.
- [15] Massaro, A., Galiano, A., Barbuzzi, D., Pellicani, L., Birardi, G., Romagno, D. D., & Frulli, L., (2017) "Joint Activities of Market Basket Analysis and Product Facing for Business Intelligence oriented on Global Distribution Market: examples of data mining applications," *International Journal of Computer Science and Information Technologies*, Vol. 8, No.2 , pp178-183.
- [16] Aguinis, H., Forcum, L. E., & Joo, H. (2013) "Using Market Basket Analysis in Management Research," *Journal of Management*, Vol. 39, No. 7, pp1799-1824.

- [17] Štulec, I, Petljak, K., & Kukor, A. (2016) "The Role of Store Layout and Visual Merchandising in Food Retailing", *European Journal of Economics and Business Studies*, Vol. 4, No. 1, pp139-152.
- [18] Otha, M. & Higuci, Y. (2013) "Study on Design of Supermarket Store Layouts: the Principle of "Sales Magnet"", *World Academy of Science, Engineering and Technology*, Vol. 7, No. 1, pp209-212.
- [19] Shallu, & Gupta, S. (2013) "Impact of Promotional Activities on Consumer Buying Behavior: A Study of Cosmetic Industry", *International Journal of Commerce, Business and Management (IJCBM)*, Vol. 2, No.6, pp379-385.
- [20] Al Essa, A. & Bach, C. (2014) "Data Mining and Knowledge Management for Marketing", *International Journal of Innovation and Scientific Research*, Vol. 2, No. 2, pp321-328.
- [21] Kotu, V., & Deshpande B. (2015) "Predictive Analytics and Data Mining- Concepts and Practice with RapidMiner" Elsevier.
- [22] Wimmer, H., Powell, L. M. (2015) "A Comparison of Open Source Tools for Data Science", *Proceedings of the Conference on Information Systems Applied Research*. Wilmington, North Carolina USA.
- [23] Al-Khoder, A., Harmouch, H., "Evaluating Four Of The most Popular Open Source and Free Data Mining Tools", *International Journal of Academic Scientific Research*, Vol. 3, No. 1, pp13-23.
- [24] Gulli, A., & Pal, S. (2017) "Deep Learning with Keras- Implement neural networks with Keras on Theano and TensorFlow," Birmingham -Mumbai Packt book, ISBN 978-1-78712-842-2.
- [25] Kovalev, V., Kalinovskiy, A., & Kovalev, S. (2016) "Deep Learning with Theano, Torch, Caffe, TensorFlow, and deeplearning4j: which one is the best in speed and accuracy?" *Proceeding of XIII Int. Conf. on Pattern Recognition and Information Processing*, 3-5 October, Minsk, Belarus State University, pp99-103.
- [26] "Walmart Recruiting - Store Sales Forecasting" 2018. [Online]. Available: <https://www.kaggle.com/c/walmart-recruiting-store-sales-forecasting/data>
- [27] Huang, H.-C. & Hou, C.-I.. (2017) "Tourism Demand Forecasting Model Using Neural Network", *International Journal of Computer Science & Information Technology (IJCSIT)*, Vol. 9, No. 2, pp19- 29.
- [28] Kalyani, J., Bharathi, H. N., & Rao, J. (2016) "Stock Trend Prediction Using News Sentiment Analysis", *International Journal of Computer Science & Information Technology (IJCSIT)*, Vol. 8, No. 3, pp67-76.

AN EXPLORATION OF THE FACTORS AFFECTING USERS' SATISFACTION WITH MOBILE PAYMENTS

Lisa Y. Chen and Wan-Ning Wu

Department of Information Management, I-Shou University, Taiwan

ABSTRACT

Mobile payment allows consumers to make more flexible payments through convenient mobile devices. While mobile payment is easy and time save, the operation and security of mobile payment must ensure that the payment is fast, convenient, reliable and safety in order to increase the users' satisfaction. Therefore, this study based on technology acceptance model to explore the impact of external variables through perceived usefulness and perceived ease of use on users' satisfaction. The data analysis methods used in this study are descriptive statistical analysis, reliability and validity analysis, Pearson correlation analysis and regression analysis to verify the hypotheses. The results show that all hypotheses are supported. However, mobile payment is still subject to many restrictions on development and there are limited related researches. The results of this study provided insight into the factors that affect the users' satisfaction for mobile payment. Related services development of mobile payment and future research suggestions are also offered.

KEYWORDS

Mobile Payment, Technology Acceptance Model, Users' satisfaction

For More Details : <https://aircconline.com/ijsit/V9N3/9317ijsit08.pdf>

Volume Link : http://airccse.org/journal/ijsit2017_curr.html

REFERENCES

- [1] Lu, H. P. and Su, Y. J. (2009). "Factors affecting purchase intention on mobile shopping web sites," *Internet Research*, Vol.19, No. 4, pp. 442-458.
- [2] Zhang, R., Chen, J. Q., and Lee, C. J. (2013). "Mobile commerce and consumer privacy concerns," *The Journal of Computer Information Systems*, Vol. 53, No. 4, pp. 31-38.
- [3] Kim, C., Mirusmonov, M., and Lee, I. (2010). "An empirical examination of factors influencing the intention to use mobile payment," *Journal Computers in Human Behavior*, Vol. 26, No. 3, pp. 310-322.
- [4] Nguyen, N., Cao, T. K., Dang, P. L. and Nguyen, H. A. (2016). "Predicting consumer intention to use mobile payment services: empirical evidence from Vietnam," *International Journal of Marketing Studies*, Vol. 8, No. 1, pp. 117-124.
- [5] Pousttchi, K. and Wiedemann, D. G. (2007). "What influences consumers' intention to use mobile payments?" Retrieved from: *International Journal of Computer Science & Information Technology (IJCSIT)* Vol 9, No 3, June 2017 105 <https://pdfs.semanticscholar.org/a4dd/ce87edaa6d2bf14d0bd362e1c9beb24b030b.pdf> (March, 22, 2017).
- [6] Ondrus, J. and Pigneur, Y. (2007). "Cross-industry preferences for development of mobile payments in Switzerland," *Electronic Markets*, pp. 142-152.
- [7] Liébana-Cabanillas, F., Ramos de Luna, I., and Montoro-Ríos, F. (2017). "Intention to use new mobile payment systems: a comparative analysis of SMS and NFC payments," *Economic Research/Ekonomska Istraživanja*, Vol. 30, No. 1, pp. 892-910.
- [8] Dornan, A. (2001). "The essential guide to wireless communications applications: from cellular systems to WAP and m-commerce," Upper Saddle River, NJ, Prentice Hall.
- [9] Heijden, H. (2002). "Factors affecting the successful introduction of mobile payment systems," 15th Bled Electronic Commerce Conference eReality: Constructing the eEconomy, Bled, Slovenia, June 17-19, pp. 430-443.
- [10] Hahn I. and Kodó, K. (2017). "Mobile payment analysed from the aspects of Kano model." Retrieved from: <http://www.diva-portal.org/smash/get/diva2:1079862/FULLTEXT01.pdf> (March, 22, 2017).
- [11] Dahlberg, T., Mallat, N., Ondrus, J., and Zmijewska, A. (2008). "Past, present and future of mobile payments research: a literature review," *Electronic Commerce Research and Applications*, Vol. 7, No. 2, pp. 165-181.
- [12] Varshney, U. (2002). "Mobile payment," *IEEE Computer*, Vol. 35, No. 12, pp. 120-121.
- [13] Ondrus, J. and Pigneur, Y. (2006). "Towards a holistic analysis of mobile payments: a multiple perspectives approach," *Electronic Commerce Research and Applications*, Vol. 5, No. 3, pp. 246-257.
- [14] Sang, R. J. and Murdock, K. (2013). "Consumer acceptance of mobile marketing communications using the QR code," *Journal of Direct, Data and Digital Marketing Practice*, Vol. 15, No. 2, pp. 11-124.
- [15] Davis, F. D. (1989). "Perceived usefulness, perceived ease of use, and user acceptance of information

technology,” *MIS Quarterly*, Vol. 13, No. 3, pp. 319-340.

- [16] Fishbein, M. and Ajzen, I. (1975). “Belief, attitude, intention, and behavior: an introduction to theory and research”. Reading, MA: Addison-Wesley.
- [17] Taylor, S. and Todd, P. (1995). “Assessing IT usage: the role of prior experience,” *MIS Quarterly*, Vol. 19, No. 4, pp. 561-570.
- [18] Gefen, D., Karahanna, E., and Straub, D. W. (2003), “Trust and TAM in online shopping: an integrated model,” *MIS Quarterly*, Vol. 27, No. 1, pp. 51-90.
- [19] Moon, J.W. and Kim, Y.G. (2001). “Extending the TAM for a world-wide-web context,” *Information & Management*, Vol. 38, pp. 217-230.
- [20] Venkatesh, V. and Davis, F. (2000). “A theoretical extension of the technology acceptance model: four longitudinal field studies,” *Management Science*, Vol. 46, No. 2, pp.186-204.
- [21] Brown, L. G. (1989). “The strategic and tactical implications of convenience in consumer product marketing,” *The Journal of Consumer Marketing*, Vol. 6, No. 3, pp. 13-19.
- [22] Yoon, C. and Kim, S. (2007). “Convenience and TAM in a ubiquitous computing environment: the case of wireless LAN,” *Electronic Commerce Research & Applications*, Vol. 6, No. 1, pp. 102-112.
- [23] Rogers, E.M. (2003). *Diffusion of innovations* (5th ed.). New York: Free Press.
- [24] Craig, V.S., France, B., and Christie, L.C. (2004), “Factors influencing the adoption of web based shopping: the impact of trust,” *ACM SIGMIS Database*, Vol. 35, No. 2, pp. 32-49.
- [25] Kim, E. and Tadisina, S. (2007). “A model of customers’ trust in e-businesses: Micro-level inter-party trust formation,” *Journal of Computer Information Systems*, Vol. 48, No. 1, pp. 88-104. [26] Kalakota, R. and Whinston, A. B. (1996). “Readings in Electronic Commerce” Addison-Wesley Publishing, Reading, MA.
- [27] Yoon, S. J. (2002). “The antecedents and consequences of trust in online-purchase decisions,” *Journal of Interactive Marketing*, Vol. 16, No. 2, pp. 47-63.
- [28] Dahlberg, T., Mallat, N., and Öörni, A. (2003). Trust enhanced technology acceptance modelconsumer acceptance of mobile payment solutions: Tentative evidence, *Stockholm Mobility Roundtable*, 22-23.
- [29] Nunnally, J. C. (1978). “Psychometric theory,” New York: McGraw-Hill.

BIG DATA IN CLOUD COMPUTING REVIEW AND OPPORTUNITIES

Manoj Muniswamaiah, Tilak Agerwala and Charles Tappert

Seidenberg School of CSIS, Pace University, White Plains, New York

ABSTRACT

Big Data is used in decision making process to gain useful insights hidden in the data for business and engineering. At the same time it presents challenges in processing, cloud computing has helped in advancement of big data by providing computational, networking and storage capacity. This paper presents the review, opportunities and challenges of transforming big data using cloud computing resources.

KEYWORDS

Big data; cloud computing; analytics; database; data warehouse

For More Details : <https://aircconline.com/ijcsit/V11N4/11419ijcsit04.pdf>

Volume Link : http://airccse.org/journal/ijcsit2019_curr.html

REFERENCES

- [1] Konstantinou, I., Angelou, E., Boumpouka, C., Tsoumakos, D., & Koziris, N. (2011, October). On the elasticity of nosql databases over cloud management platforms. In Proceedings of the 20th ACM international conference on Information and knowledge management (pp. 2385-2388). ACM.
- [2] Labrinidis, Alexandros, and Hosagrahar V. Jagadish. "Challenges and opportunities with big data." Proceedings of the VLDB Endowment 5.12 (2012): 2032-2033.
- [3] badi, D. J. (2009). Data management in the cloud: Limitations and opportunities. IEEE Data Eng. Bull, 32(1), 3-12.
- [4] Luhn, H. P. (1958). A business intelligence system. IBM Journal of Research and Development, 2(4), 314-319 International Journal of Computer Science & Information Technology (IJCSIT) Vol 11, No 4, August 2019 57 [5] Sivarajah, Uthayasankar, et al. "Critical analysis of Big Data challenges and analytical methods." Journal of Business Research 70 (2017): 263-286.
- [6] <https://www.bmc.com/blogs/saas-vs-paas-vs-iaas-whats-the-difference-and-how-to-choose/>
- [7] Kavis, Michael J. Architecting the cloud: design decisions for cloud computing service models (SaaS, PaaS, and IaaS). John Wiley & Sons, 2014. [8] https://www.ripublication.com/ijaer17/ijaerv12n17_89.pdf
- [9] Sakr, S. & Gaber, M.M., 2014. Large Scale and big data: Processing and Management Auerbach, ed.
- [10] Ji, Changqing, et al. "Big data processing in cloud computing environments." 2012 12th international symposium on pervasive systems, algorithms and networks. IEEE, 2012.
- [11] Han, J., Haihong, E., Le, G., & Du, J. (2011, October). Survey on nosql database. In Pervasive Computing and Applications (ICPCA), 2011 6th International Conference on (pp. 363-366). IEEE.
- [12] Zhang, L. et al., 2013. Moving big data to the cloud. INFOCOM, 2013 Proceedings IEEE, pp.405–409
- [13] Fernández, Alberto, et al. "Big Data with Cloud Computing: an insight on the computing environment, MapReduce, and programming frameworks." Wiley Interdisciplinary Reviews: Data Mining and Knowledge Discovery 4.5 (2014): 380-409.
- [14] http://acme.able.cs.cmu.edu/pubs/uploads/pdf/IoTBD_2016_10.pdf
- [15] Xiaofeng, Meng, and Chi Xiang. "Big data management: concepts, techniques and challenges [J]." Journal of computer research and development 1.98 (2013): 146-169.
- [16] Muniswamaiah, Manoj & Agerwala, Tilak & Tappert, Charles. (2019). Challenges of Big Data Applications in Cloud Computing. 221-232. 10.5121/csit.2019.90918.

MONITORING STUDENT ATTENDANCE USING A SMART SYSTEM AT TAIF UNIVERSITY

Saleh Alghamdi

Department of Information Technology, Taif University, Al-taif, Saudi Arabia

ABSTRACT

The university system in the Kingdom of Saudi Arabia is concerned with student attendance for lectures, and it is the responsibility of lecturers to monitor student attendance for each lecture. By the end of the semester, students get an attendance register indicating which lectures the student has attended and it reports the calculated percentage for each student's attendance in each course. Universities have regulated the mechanisms and the acceptable percentages of student absence. The process for a lecturer to manually check student attendance consumes a lot of time and effort, either during the lecture or when in the process of emptying absenteeism and inserting it into the university's electronic system. Therefore, Saudi universities compete to find modern methods of checking student attendance that will avoid the disadvantages of manually taking attendance. For this reason, they have produced electronic attendance systems, for example, using a student's fingerprint, an eye recognition system, or a mobile phone system to read a QR code designed for the same purpose. All of these systems have the disadvantage that they consume a lot of time, as all students have to line up at the fingerprint reader or the eye detector for identification. Therefore, the problem of the consumption of lecture time is still present, even with these modern systems. Therefore, the aim of this research is to propose a smart mobile application that is able to check the attendance of students without having to consume lecture time or require any effort from the lecturer. The system automatically recognizes the attendance of students through their university ID cards. Each lecturer would use his/ her own mobile phone to use the proposed system to check the attendance of students instead of using manual method to register the attendance of students and the students' ID cards that are detected by coming within range of the lecturer reader would represent present students, and missing student ID cards represent absent students

KEYWORDS

Context Awareness, RFID, Monitoring Student Attendance.

For More Details : <https://airconline.com/ijsit/V11N1/11119ijsit08.pdf>

Volume Link : http://airccse.org/journal/ijsit2019_curr.html

REFERENCES

- [1] A. N. Yumang, D. Padilla, M. Sejera, A. C. U. Pajarillo, G. V. L. B. Palmiano and M. M. F. Racho, "Attendance checker for students of Mapúa University," 2017 IEEE 9th International Conference on Humanoid, Nanotechnology, Information Technology, Communication and Control, Environment and Management (HNICEM), Manila, 2017, pp. 1-3.
- [2] M. M. Islam, M. K. Hasan, M. M. Billah and M. M. Uddin, "Development of smartphone-based student attendance system," 2017 IEEE Region 10 Humanitarian Technology Conference (R10-HTC), Dhaka, 2017, pp. 230-233.
- [3] M. I. Moksini and N. M. Yasin, "The Implementation of Wireless Student Attendance System in an Examination Procedure," 2009 International Association of Computer Science and Information Technology - Spring Conference, Singapore, 2009, pp. 174-177.
- [4] L. Ma, J. Pan, L. Cao and J. Shen, "The Design of Wireless Students Management System Based on Fingerprint Sensor," 2010 International Conference on E-Business and E-Government, Guangzhou, 2010, pp. 2153-2155.
- [5] A. Purohit, K. Gaurav, C. Bhati and A. Oak, "Smart attendance," 2017 International conference of Electronics, Communication and Aerospace Technology (ICECA), Coimbatore, 2017, pp. 415-419.
- [6] J. A. Rubella, M. Suganya, K. Senathipathi, B. S. Kumar, K. R. Gowdham and M. Ranjithkumar, "Fingerprint based license checking for auto-mobiles," 2012 Fourth International Conference on Advanced Computing (ICoAC), Chennai, 2012, pp. 1-8.
- [7] Han Xi, Niu Wenliang and Li Zheyang, "Application of fingerprint recognition on the laboratory management," 2008 9th International Conference on Signal Processing, Beijing, 2008, pp. 2960-2963.
- [8] N. Wenliang, H. Xi, L. Zheyang and W. Shuying, "An Open Laboratory Management System Based on Fingerprints Recognition," 2009 Second International Symposium on Computational Intelligence and Design, Changsha, 2009, pp. 510-512.
- [9] R. Samet and M. Tanriverdi, "Face Recognition-Based Mobile Automatic Classroom Attendance Management System," 2017 International Conference on Cyberworlds (CW), Chester, 2017, pp. 253-256.
- [10] Y. Mao, H. Li and Z. Yin, "Who missed the class? — Unifying multi-face detection, tracking and recognition in videos," 2014 IEEE International Conference on Multimedia and Expo (ICME), Chengdu, 2014, pp. 1-6.
- [11] S. M. Čisar, R. Pinter, V. Vojnić, V. Tumbas and P. Čisar, "Smartphone application for tracking students' class attendance," 2016 IEEE 14th International Symposium on Intelligent Systems and Informatics (SISY), Subotica, 2016, pp. 227-232.
- [12] S. M. A. Rahman and O. N. A. Hatali, "Trends of the Academic Staff to Use Electronic Attendance in the College of Applied Science, Ibri," 2015 Fifth International Conference on eLearning (econ), Manama, 2015, pp. 225-230.
- [13] J. Park, K. An, D. Kim and J. Choi, "Multiple human tracking using multiple kinects for an attendance check system of a smart class," 2013 10th International Conference on Ubiquitous Robots and Ambient Intelligence (URAI), Jeju, 2013, pp. 130-130.
- [14] G. J. Saxena et al., "Three stage robust attendance recording and monitoring using social media

platform, image processing and cloud computing," 2017 4th International Conference on Signal Processing, Computing and Control (ISPCC), Solan, 2017, pp. 194-199.

- [15] U. E. Peter, C. K. A. Joe-Uzuegbu, L. Uzoechi and F. K. Opara, "Biometric-based attendance system with remote real-time monitoring for tertiary institutions in developing countries," 2013 IEEE International Conference on Emerging & Sustainable Technologies for Power & ICT in a Developing Society (NIGERCON), Owerri, 2013, pp. 1-8.
- [16] Xiao, Sheng & Liang, Wenlong & Tang, Yishan. (2018). Classroom Attention Restoration Using Computer Game Rewarding Mechanism. pp. 1-6.
- [17] J. He, A. Atabekov and H. M. Haddad, "Internet-of-Things Based Smart Resource Management System: A Case Study Intelligent Chair System," 2016 25th International Conference on Computer Communication and Networks (ICCCN), Waikoloa, HI, 2016, pp. 1-6

DIAGONAL BASED FEATURE EXTRACTION FOR HANDWRITTEN ALPHABETS RECOGNITION SYSTEM USING NEURAL NETWORK

J.Pradeep¹, E.Srinivasan² and S.Himavathi³

^{1,2} Department of ECE, Pondicherry College Engineering, Pondicherry, India.

³ Department of EEE, Pondicherry College Engineering, Pondicherry, India.

ABSTRACT

An off-line handwritten alphabetical character recognition system using multilayer feed forward neural network is described in the paper. A new method, called, diagonal based feature extraction is introduced for extracting the features of the handwritten alphabets. Fifty data sets, each containing 26 alphabets written by various people, are used for training the neural network and 570 different handwritten alphabetical characters are used for testing. The proposed recognition system performs quite well yielding higher levels of recognition accuracy compared to the systems employing the conventional horizontal and vertical methods of feature extraction. This system will be suitable for converting handwritten documents into structural text form and recognizing handwritten names.

KEYWORDS

Handwritten character recognition, Image processing, Feature extraction, feed forward neural networks.

For More Details : <http://airccse.org/journal/ijcsit/0211ijcsit03.pdf>

Volume Link : http://airccse.org/journal/ijcsit2011_curr.html

REFERENCES

1. S. Mori, C.Y. Suen and K. Kamamoto, "Historical review of OCR research and development," Proc. of IEEE, vol. 80, pp. 1029-1058, July 1992.
2. S. Impedovo, L. Ottaviano and S. Occhinegro, "Optical character recognition", International Journal Pattern Recognition and Artificial Intelligence, Vol. 5(1-2), pp. 1- 24, 1991.
3. V.K. Govindan and A.P. Shivaprasad, "Character Recognition – A review," Pattern Recognition, vol. 23, no. 7, pp. 671- 683,
4. R. Plamondon and S. N. Srihari, "On-line and off- line handwritten character recognition: A comprehensive survey,"IEEE. Transactions on Pattern Analysis and Machine Intelligence, vol. 22, no. 1, pp. 63-84, 2000.
5. N. Arica and F. Yarman-Vural, "An Overview of Character Recognition Focused on Off-line Handwriting", IEEE Transactions on Systems, Man, and Cybernetics, Part C: Applications and Reviews, 2001, 31(2), pp. 216 - 233.
6. U. Bhattacharya, and B. B. Chaudhuri, "Handwritten numeral databases of Indian Scripts and multistage recognition of mixed numerals," IEEE Transaction on Pattern analysis and machine intelligence, vol.31, No.3, pp.444-457, 2009.
7. U. Pal, T. Wakabayashi and F. Kimura, "Handwritten numeral recognition of six popular scripts," Ninth International conference on Document Analysis and Recognition ICDAR 07, Vol.2, pp.749-753, 2000
8. R.G. Casey and E.Lecolinet, "A Survey of Methods and Strategies in Character Segmentation," IEEE Transactions on Pattern Analysis and Machine Intelligence, Vol. 18, No.7, July 1996, pp. 690-706.
9. Anil.K.Jain and Torfinn Taxt, "Feature extraction methods for character recognitionA Survey," Pattern Recognition, vol. 29, no. 4, pp. 641-662, 1996.
10. R.G. Casey and E.Lecolinet, "A Survey of Methods and Strategies in Character Segmentation," IEEE Transactions on Pattern Analysis and Machine Intelligence, Vol. 18, No.7, July 1996, pp. 690-706.
11. C. L. Liu, H. Fujisawa, "Classification and Learning for Character Recognition:Comparison of Methods and Remaining Problems", Int. Workshop on Neural Networks and Learning in Document Analysis and Recognition, Seoul, 2005.
12. F. Bortolozzi, A. S. Brito, Luiz S. Oliveira and M. Morita, "Recent Advances in Handwritten Recognition", Document Analysis, Umпада Pal, Swapna K. Parui, Bidyut B. Chaudhuri, pp 1-30.

13. Anita Pal & Dayashankar Singh, "Handwritten English Character Recognition Using Neural," Network International Journal of Computer Science & Communication.vol.1,No. 2, July-December 2010, pp. 141-144.
14. Dinesh Acharya U, N V Subba Reddy and Krishnamurthy, "Isolated handwritten Kannada numeral recognition using structural feature and K-means cluster," IISN- 2007, pp-125 -129.
15. N. Sharma, U. Pal, F. Kimura, "Recognition of Handwritten Kannada Numerals", 9thInternational Conference on Information Technology (ICIT'06), ICIT, pp. 133- 136.
16. Rafael C. Gonzalez, Richard E. woods and Steven L.Eddins, Digital Image Processing using MATLAB, Pearson Education, Dorling Kindersley, South Asia, 2004.
17. S.V.Rajashekararadhya, and P.VanajaRanjan, "Efficient zone based feature extraction algorithm for handwritten numeral recognition of four popular south-Indian scripts," Journal of Theoretical and Applied Information Technology, JATIT vol.4, no.12, pp.1171-1181, 2008.

INTRUSION DETECTION SYSTEM CLASSIFICATION USING DIFFERENT MACHINE LEARNING ALGORITHMS ON KDD-99 AND NSL-KDD DATASETS - A REVIEW PAPER

Ravipati Rama Devi¹ and Munther Abualkibash²

¹Department of Computer Science, Eastern Michigan University, Ypsilanti, Michigan, USA

**²School of Information Security and Applied Computing, Eastern Michigan University,
Ypsilanti, Michigan, USA**

ABSTRACT

Intrusion Detection System (IDS) has been an effective way to achieve higher security in detecting malicious activities for the past couple of years. Anomaly detection is an intrusion detection system. Current anomaly detection is often associated with high false alarm rates and only moderate accuracy and detection rates because it's unable to detect all types of attacks correctly. An experiment is carried out to evaluate the performance of the different machine learning algorithms using KDD-99 Cup and NSL-KDD datasets. Results show which approach has performed better in term of accuracy, detection rate with reasonable false alarm rate.

KEYWORDS

Intrusion Detection System, KDD-99 cup, NSL-KDD, Machine learning algorithms

For More Details : <https://aircconline.com/ijcsit/V11N3/11319ijcsit06.pdf>

Volume Link : http://airccse.org/journal/ijcsit2019_curr.html

REFERENCES

- [1] “DARPA98 attack description and schedule,” <https://www.ll.mit.edu/ideval/docs/attacks.html>, 1998, retrieved December 15, 2016.
- [2] L. Breiman, J. H. Friedman, R. A. Olshen, and C. J. Stone, *Classification and Regression Trees*, 1984.
- [3] D. A. Cieslak and N. V. Chawla, “A framework for monitoring classifiers’ performance: when and why failure occurs?” *Knowledge and Information Systems*, vol. 18, no. 1, pp. 83–108, 2009.
- [4] M. Fugate and J. R. Gattiker, “Anomaly detection enhanced classification in computer intrusion detection,” in *Pattern Recognition with Support Vector Machines*, vol. 2388, 2002, pp. 186–197.
- [5] M. Tavallaei, E. Bagheri, W. Lu, and A. A. Ghorbani, “A detailed analysis of the KDD CUP 99 data set,” in *IEEE Symposium on Computational Intelligence for Security and Defense Applications, CISDA 2009*, 2009.
- [6] J. McHugh, “Testing Intrusion detection systems: a critique of the 1998 and 1999 DARPA intrusion detection system evaluations as performed by Lincoln Laboratory,” *ACM Transactions on Information and System Security*, vol. 3, no. 4, pp. 262–294, 2000.
- [7] S. Sung, A.H. Mukkamala. “Identifying important features for intrusion detection using support vector machines and neural networks”. In *Proceedings of the Symposium on Applications and the Internet (SAINT)*, pp. 209–216. IEEE.
- [8] H. Kayacik, A. Zincir-Heywood and M. Heywood. “Selecting features for intrusion detection: A feature relevance analysis on KDD 99 intrusion detection datasets”. In *Proceedings of the Third Annual Conference on Privacy, Security and Trust (PST)*. 2005.
- [9] C. Lee, S. Shin and J. Chung. “Network intrusion detection through genetic feature selection”. In *Seventh ACIS International Conference on Software Engineering, Artificial Intelligence, Networking, and Parallel/Distributed Computing (SNPD)*, pp. 109–114. IEEE Computer Society, 2006.
- [10] H. Zhang and J. Su., “Naive Bayes for optimal ranking”, *Journal of Experimental and Theoretical Artificial Intelligence*. 2008, 20: 79-93.
- [11] Z. Muda, W. Yassin, M.N. Sulaiman, N.I. Udzir, “Intrusion Detection based on K-Means Clustering and Naïve Bayes Classification” *2011 7th International Conference on IT in Asia (CITA)*”.
- [12] Weiming Hu, Steve Maybank, “AdaBoost-Based Algorithm for Network Intrusion Detection”. In *IEEE transaction on systems, MAN, and CYBERNETICS*, APRIL 2008.